



# PIN GRID ARRAY SOCKET DESIGN GUIDE


## INTERSTITIAL FOOT PRINT PATTERN



## .100 GRID FOOT PRINT PATTERN



## DESIGN OF PIN PATTERN EXAMPLE



1. FILL IN EACH CIRCLE WHICH REPRESENTS A PIN POSITION.
2. INDICATE A CENTER CUTOUT IF REQUIRED (AS SHOWN)
3. CIRCLES LEFT BLANK REPRESENT **NO PIN** IN THAT POSITION.

DEPT: \_\_\_\_\_

NAME: \_\_\_\_\_

TITLE: \_\_\_\_\_

COMPANY: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

PHONE: \_\_\_\_\_ FAX: \_\_\_\_\_

QUANTITIES TO QUOTE: \_\_\_\_\_

SEMICONDUCTOR DEVICE: \_\_\_\_\_



NUMBER OF PINS \_\_\_\_\_

STYLE OF INSULATOR \_\_\_\_\_  
 0 = OPEN FRAME 1 = CLOSED FRAME 2 = FULL MATRIX

INSULATOR \_\_\_\_\_  
 02 = GLASS EPOXY 06 = MOLDED POLYESTER

MATRIX SIZE \_\_\_\_\_

PATTERN STYLE \_\_\_\_\_

PIN STYLE \_\_\_\_\_

PIN PLATING \_\_\_\_\_